

The Habitable Exoplanet Observatory Concept

Exploring planetary systems around our neighboring sunlike stars and enabling a broad range of observatory science in the UV through the near-IR



Alina Kiessling

Jet Propulsion Laboratory / California Institute of Technology

Deputy Center Study Scientist

Holbex /



The Next-Generation Great Observatory



 Through a community-driven competed and funded Guest Observer program, HabEx will enable extensive physics of the cosmos, cosmic origins, exoplanet exploration, and solar system science.

- To be sensitive to an uncertain future landscape, a matrix of 9 architectures of varying scope have been investigated.
- The HabEx concept is an exciting design that is budget conscious, low risk, and technologically implementable in the 2020s.



Holbex,

Science Goals









Seek out nearby worlds and explore their habitability

Map out nearby planetary systems and understand their diversity.

Enable new explorations of systems in the UV to near-IR

Holbex



Observing Time Allocations





Broad Survey: non-exo-Earths

Starshade 0.5 y (~35 visits)



Broad Survey: exo-Earths Starshade

0.65 y (~25 visits)




Broad Survey

Coronagraph
1.1 y (~280 visits)



Deep Survey Starshade

0.25 y (~25 visits)



Parallel Observation Program UVS & HWC 2.5 y



Guest
Observer
Program
All Instruments
2.5 y




- 50% GO Time
- 50% Parallel Obs Time
- 50% Exoplanet Survey Time

Holbex



Baseline Architecture






Holbex

Baseline Architecture






	Habitable Exoplanet Observatory (HabEx)		
Mission Duration	5 years (10 years consumables)		
Orbit	Earth-Sun L2 Halo		
Telescope Aperture	4-meter unobscured		
Telescope Type	Off-axis three-mirror anastigmat		
Primary Mirror	4-meter monolith; glass-ceramic substrate; Al+MgF2 coating		
Instruments (4)	Exoplanet science: Coronagraph, Starshade Observatory science: UV Spectrograph, Workhorse Camera		
Attitude Control	Slewing: hydrazine thrusters; Pointing: microthrusters		




Ultraviolet Spectrograph (UVS)




High-resolution UV imaging and spectroscopy





Field-of-view	3 x 3 arcmin ²		
Wavelength bands	20 bands covering 0.115 to 0.32 μm		
Spectral resolutions	60,000; 25,000; 12,000; 6,000; 3,000;1,000; 500		
Telescope resolution	Diffraction limited at 0.4 µm		
Detector	3x5 MCP array, 100mm sq each		









HabEx Workhorse Camera (HWC)



Multi-purpose optical to near-IR wide-field imaging and spectroscopy



	Vis Channel	near-IR Channel
Field-of-view	3 x 3 arcmin ²	3 x 3 arcmin ²
Wavelength bands	0.37 – 0.975 µm	0.975 – 1.8 μm
Spectral resolution	1000	1000
Telescope resolution	30.9 mas	49 mas
Detectors	3x3 CCD203	2x2 H4RG10




Holbex //


Coronagraph and Starshade Instruments




HabEx Coronagraph	Blue Channel	Red Channel	Near-IR Channel		
Field-of-view	1.5x1.5 arcsec ²	2.2x2.2 arcsec ²	3.1x3.1 arcsec ²		
Wavelength bands	0.45 – 0.55 μm 0.55 – 0.67 μm	0.67 – 0.82 μm 0.82 – 1.0 μm	0.975 – 1.8 µm (in 3 20% bands)		
Telescope	23 mas	42 mas	49 mas		
resolution	@ 0.45 µm	@ 0.82 µm	@ 0.95 µm		
IWA	56 mas	102 mas	118 mas		
OWA	0.74 arcsec	1.11 arcsec	1.57 arcsec		
Spectral resolution	140	140	40		

HabEx Starshade	UV Channel	Visible Channel	Near-IR Channel
Imaging field-of- view	10 x 10 arcsec ²	12 x 12 arcsec ²	Pupil imager
Wavelength bands	$0.2 - 0.45 \ \mu m$	$0.45 - 0.975 \ \mu m$	0.975 – 1.8 µm
Telescope resolution	21 mas	21 mas	-
IWA _{0.5}	39 mas	58 mas	104 mas
Spectral resolution	7	140	40







HobEx



Architecture Options



9 architectures investigated

- Three aperture options: 4m; 3.2m;
 2.4m.
- All apertures and options include the UVS and HWC instruments.
- Three options for exoplanet instruments per aperture:
 - Hybrid (H) with both coronagraph and starshade instruments using an off-axis monolithic primary mirror.
 - Coronagraph instrument only **(C)** using an off-axis monolithic telescope primary mirror.
 - Starshade instrument only **(S)** using an on-axis segmented primary mirror.



HoloEx */




Community White Papers



What would YOU do with HabEx?!

 The HabEx Team is soliciting 2page community white papers to include in the HabEx Final Report.

 Email Rashied Amini for a template: Rashied.Amini@jpl.nasa.gov




HolbEx //



HolbEx /

The Astrophysics Decadal Survey





- The National Research Council convenes experts to define the ground- and space-based Astrophysics priorities for the next 10 years.
- For large space-based telescopes
 - The 2000 Decadal Survey prioritized the James Webb Space Telescope (JWST), which will launch in ~2021.
 - The 2010 Decadal Survey prioritized the Wide Field Infrared Survey Telescope (WFIRST), which will launch in ~2025.
 - The Habitable Exoplanet Observatory (HabEx) is one of four "flagship" mission studies currently being undertaken by NASA for consideration in the 2020 Decadal Survey. If prioritized, HabEx would launch in the mid-to-late 2030's.
 - The other studies are:
 - The Origins Space Telescope (OST)
 - The Large UV, Optical, IR Telescope (LUVOIR)
 - Lynx



Study Goals



"Develop an optimal* mission concept for characterizing our nearest planetary systems, and detecting and characterizing a handful of ExoEarths."

"Given this optimal* concept, maximize the astrophysics science potential without sacrificing the primary exoplanet science goals."

What does optimal mean?

- Maximizing the science yield while maintaining feasibility, i.e., adhering to expected constraints.
- Constraints include: Cost, technology (risk), time to develop mission.